AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Currently Amended) A lest motion basket housing for use in a basket assembly in a railroad switch comprising:

<u>a lost motion basket housing having</u> an opening in said housing, said opening travelling laterally through said housing for allowing partial unimpeded lateral displacement of a rod or bar therethrough;

at least one abutment in said opening for limiting lateral displacement through said opening of a surface associated with said rod or bar; and,

means for rotatably retaining an arm associated with said housing.

Claim 2. (Currently Amended) The <u>railroad switch lost motion basket</u> housing of claim 1, <u>said housing</u> further comprising a head portion and a lower portion, said means for rotatably retaining an arm being located on said head portion.

Claim 3. (Currently Amended) The <u>railroad switch</u> lest-metion basket housing of claim 2 wherein said means for rotatably retaining an arm comprises a bore in said head portion, said bore being <u>transverse</u> in relation to said opening <u>and being</u> adapted to receive a pin for rotation in said bore and for connection to said arm.

- Claim 4. (Currently Amended) The <u>railroad switch</u> lost motion basket housing of claim 3 wherein said lower portion comprises means for securing a rod to said housing.
- Claim 5. (Currently Amended) A lost motion basket assembly for use in a railroad switch, comprising:
 - a <u>lost motion</u> basket housing having an opening travelling laterally therethrough for allowing partial unimpeded lateral displacement of a rod or bar therethrough along an opening axis, at least one abutment in said opening for limiting lateral displacement through said opening of a surface associated with said rod or bar member and a head portion, and a bore in said head portion, said bore having an axis that is transverse to said opening axis, said bore receiving a pin for rotation therein.
- Claim 6. (Currently Amended) The <u>railroad switch lost motion basket</u> assembly of claim 5 further comprising at least one torsion arm retained on said pin.
- Claim 7. (Currently Amended) The <u>railroad switch lest motion basket</u> assembly of claim 6 wherein said torsion arm comprises an elongated slot and one end of said pin extends through said elongated slot.
- Claim 8. (Currently Amended) The <u>railroad switch</u> lost motion basket assembly of claims 5, 6, or 7 further comprising attachment points on said housing for securing a switch rod assembly thereto.
- Claim 9. (Currently Amended) The <u>railroad switch</u> lost motion basket assembly of claim 6 or 7 wherein one end of said torsion arm is rigidly secured to an assist rod.

- Claim 10. (Withdrawn) A basket assembly for use in a railroad switch comprising:
- a sliding element having an opening for receiving a rod or bar therethrough; and,
 - at least one arm rotatably mounted on said sliding element.
- Claim 11. (Withdrawn) The basket assembly of claim 10 wherein said at least one arm comprises a pair of opposed arms.
- Claim 12. (Withdrawn) The basket assembly of claim 11 wherein each of said opposed arms is rigidly secured to an assist rod.
- Claim 13. (Withdrawn) The basket assembly of claims 10 or 11 wherein said rod or bar is hinged to a switch rod.
- Claim 14. (Withdrawn) A basket assembly for use in a railroad switch comprising:
- a sliding element having an opening for receiving a rod or bar therethrough; and,
 - a pair of pins extending from opposed sides of said sliding element.
- Claim 15. (Withdrawn) The basket assembly of claim 14 further comprising a pair of arms, each of said arms being mounted for rotation of one of said pins.
- Claim 16. (Withdrawn) The basket assembly of claim 15 wherein said arms are rigidly connected to an assist rod.